

CSCI 251: Concepts of Parallel and Distributed Systems

Alvin Lin

October 23rd, 2017

Clocks in Distributed Systems

Topics:

- Clocks - Physical, Logical, Vector
- Events
- Processes


Clocks

Skew: the difference between two clocks.

Drift: the change in the frequency of the oscillation of a clock.

UTC: Coordinated Universal Time


Logical clocks: for any process $p_i : e \rightarrow_i e'$ implies event e happens before e' on process i . For any message $m_1 : send(m) \rightarrow receive(m)$. When a process p_i sends a message 'm' to another process, it piggybacks on 'm' the value $t = L_i$. If $e \rightarrow e'$ and $e' \rightarrow e''$, then $e \rightarrow e''$.



Vector Clocks

$$V = [V_1, V_2, V_3]$$

$V_i = [j]$ represents the vector clock on process i with the entry for process j . Each clock maintains what it knows of the state of other clocks.



Initially, $V_i[j] = 0$ for $i, j = 1, 2, \dots, N$. Just before P_i timestamps an event it increments $V_i[i]$. P_i includes the value $t = V_i$ in every message it sends. When P_i receives a timestamp t in a message it sets $V_i[j] = \max(V_i[j], t[j])$ for $j = 1, 2, \dots, N$.

Reminders

Professor Mohan Kumar:
mjkvcs@rit.edu

<https://cs.rit.edu/~mjk>

Rahul Dashora (TA):
rd5476@mail.rit.edu

You can find all my notes at <http://omgimanerd.tech/notes>. If you have any questions, comments, or concerns, please contact me at alvin@omgimanerd.tech