

University Physics 1A

Alvin Lin

October 16th, 2017

Impulse

$$W_{net} = \int \vec{F}_{net} \cdot d\vec{x} = \frac{1}{2}mv_f^2 = \frac{1}{2}mv_i^2$$

$$\begin{aligned} \int \vec{F}_{net} dt &= \int m\vec{a} dt \\ &= \int m \frac{d\vec{v}}{dt} dt \\ &= \int m d\vec{v} \\ &= m \int dv \\ &= m\vec{v}_f - m\vec{v}_i \end{aligned}$$

impulse = change in momentum

This is known as the impulse-momentum theorem.

$$\int F dt = F_{avg} \Delta t$$

This applies to systems as well as individual objects. Suppose we have the system:



The internal forces cancel out and the net impulse is only due to the external forces.

$$\begin{aligned}0 &= m_1 v_{1f} + m_2 v_{2f} - (m_1 v_{1i} + m_2 v_{2i}) \\ m_1 v_{1i} + m_2 v_{2i} &= m_1 v_{1f} + m_2 v_{2f}\end{aligned}$$

This is known as the conservation of momentum, and is true when the net external force is zero.

Example

A superball of mass $m = 0.0300$ kg heads towards the right with velocity $v = 20.0$ m/s west (?). It hits a wall and then bounces back with the same speed in the opposite direction. The ball is in contact with the wall for $t = 0.0300$ s. What is the average *vector* force **on the ball** during the collision?

$$\begin{aligned}F_{avg}\Delta t &= m\vec{v}_f - m\vec{v}_i \\ F_{avg} &= \frac{m\vec{v}_f - m\vec{v}_i}{\Delta t} \\ &= \frac{(0.03)(20) - (0.03)(-20)}{0.03} \\ &= 40N\end{aligned}$$

Example

A tennis ball of mass $m = 0.0300$ kg is thrown towards the right with velocity $v = 20.0$ m/s west. It hits a wall with a speed of $v = 20.0$ m/s, and the angle between the vertical wall and the initial velocity is 70.0° . It bounces off the wall, still headed upwards with a speed of 10.0 m/s, again making an angle of 70.0° with the vertical wall. The ball is in contact with the wall for $t = 0.0300$ s. What is the

average *vector* force **on the ball** during the collision written in component form?

$$v_{xi} = 20 \sin(70)$$

$$v_{xf} = -10 \sin(70)$$

$$v_{yi} = 20 \cos(70)$$

$$v_{yf} = 10 \cos(70)$$

$$\begin{aligned} F_{net\ x} &= \frac{mv_{xf} - mv_{xi}}{\Delta t} \\ &= \frac{(0.03)(-10 \sin(70)) - (0.03)(20 \sin(70))}{0.03} \\ &= -28.2N \end{aligned}$$

$$\begin{aligned} F_{net\ y} &= \frac{mv_{yf} - mv_{yi}}{\Delta t} \\ &= \frac{(0.03)(10 \cos(70)) - (0.03)(20 \cos(70))}{0.03} \\ &= -3.42N \end{aligned}$$

$$F_{net} = \langle -28.2, -3.42 \rangle N$$

You can find all my notes at <http://omgimanerd.tech/notes>. If you have any questions, comments, or concerns, please contact me at alvin@omgimanerd.tech